

# SAN FRANCISCO BAY CONSERVATION AND DEVELOPMENT COMMISSION

50 California Street • Suite 2600 • San Francisco, California 94111 • (415) 352-3600 • Fax: (415) 352-3606 • www.bcdc.ca.gov

August 2, 2013

**TO:** Commissioners and Alternates

**FROM:** Lawrence J. Goldzband, Executive Director (415/352-3653, lgoldzband@bcdc.ca.gov)  
Bob Batha, Chief of Permits (415/352-3612, bobb@bcdc.ca.gov)

**SUBJECT: Listing of Pending Administrative Matters**  
(For Commission consideration on August 15, 2013)

This report lists the administrative matters that are pending with the Commission. *Due to the cancellation of the meeting of August 15, 2013, and pursuant to Commission Regulation Section 10620(a), the Executive Director will take final action on these matters unless a Commissioner requests full Commission consideration by communicating with the staff prior to August 15, 2013. In the absence of such a request, the listed matters will be executed administratively on or after August 15, 2013.*

## Administrative Permits and Federal Consistency Actions

The following administrative permit application has been filed and is presently pending with the Commission. The Executive Director will take the action indicated on the matter unless the Commission determines that it is necessary to hold a public hearing.

**Applicant:** Town of Rodeo  
Rodeo Sanitary District  
642 San Pablo Avenue  
Rodeo, CA 94572-1232

**BCDC Permit Application No. M2013.008.00**

Filed: 06/28/13

90th Day: 09/26/13

**Location:** In the Bay and within the 100-foot shoreline band, at 642 San Pablo Avenue, in the City of Rodeo, Contra Costa County.

**Description:** Temporarily relocate from the existing Rodeo Creek vehicular bridge a sanitary sewer force main by doing the following:

**In the Bay**

1. Install, use, maintain, and upon completion of the new vehicular bridge (approximately three years), remove a 70-foot section of 16- and 20-inch-in-diameter steel pipe, associated supports, and appurtenances for use as a sanitary sewer force main.

**Within the 100-foot shoreline band**

1. Install, use, maintain, and upon completion of the new vehicular bridge (approximately three years), remove two 100-foot sections of 16- and 20-inch-in-diameter steel pipe, associated supports, and appurtenances for use as a sanitary sewer force main.

*Tentative Staff Position: Recommend Approval.* (Rafael Montes, 415-352-3670 or rafaelm@bcdc.ca.gov)



Making San Francisco Bay Better

**Permits in the Secondary Management Area of the Suisun Marsh**

Solano County has not issued any marsh development permits since the last listing.

**Regionwide Permits**

The Executive Director has not issued any regionwide permits since the last listing.

**Minor Amendments to Suisun Marsh Local Protection Program**

The Commission has not received any amendments to the Suisun Marsh Local Protection Program for certification since the last listing.

**Emergency Permits**

The Executive Director has not issued any emergency permits since the last listing.